

FLOORTEC 550/560

– WHY COMPROMISE

Dust free sweeping of floors and carpet areas



Nilfisk ALTO

Why Compromise



Clarke

TECHNOLOGY



High productivity

- Sweep floors or carpets with one machine – more work done in less time
- Quick and easy inspection/change of filters and brooms without using tools
- Driver ergonomics, traction and easy manoeuvrability – for optimum work flow
- Space for two batteries – double operating times between recharging
- Manual or electrical filter shaker (battery versions) – easy maintenance

Long life – low maintenance costs

- Corrosion protected steel frame with safe guards
- Durable polyethylene construction and roto moulded cover resists corrosion
- Mechanically linked motor and gearbox - reduces maintenance costs and minimizes downtime

Large capacity

- Extra Large hopper capacity
- Over-throw system fills the hopper from above providing extra capacity

Focus on safety

- Automatic power shut-off when changing/ inspecting batteries or brooms
- Low voltage cut-off system protects and prolongs battery life
- ABS battery container prevents spillage from batteries on floors and carpets

Space for two batteries – extended operation time. Low voltage cut-off system – ensures long battery life protecting batteries from deep discharge. Optional on-board charger – freedom to charge anywhere.

Effective even in narrow spaces

The new Nilfisk-ALTO FLOORTEC 550/560 walk behind sweepers are ideal solutions for effective dust free cleaning of outdoor spaces as well as indoor floors and carpets.

Typical applications are service stations, car parks, playgrounds, factories, small warehouses, office buildings, hotels and conference halls.

With their compact, ergonomic design and easy manoeuvrability the handy machines allow you to clean large areas and at the same time get into corners and narrow spaces. That combined with low noise levels provide operators with a pleasant work environment.

Robust design and low maintenance costs are other significant advantages.

The Nilfisk-ALTO FLOORTEC 550/560 sweepers keep your premises presentable without hard work.



Flexible in use

- Service stations
- Car parks
- Playgrounds
- Factories
- Small warehouses
- Conference halls
- Office buildings



Adjustable ergonomic drive handle to match operator height. Foldable for easy transport.

Value for money

- Hour meter, volt meter and battery level indicator – easy maintenance planning
- On board charger – permits charging anywhere (optional)
- No tools required for changing/inspecting dust filter
- ABS battery container – prevents spillage from batteries
- Hopper with wheels for easy transport and emptying
- Large non-marking wheels for easy transport
- Traction transmitted via back wheels
- 2.2 KW Honda GX 100 engine in petrol version.
- No tools required for changing/inspecting or adjusting the main broom
- Corrosion protected steel frame – safe guards sweeper in case of collision
- Switch-off protection – opening the cover automatically switches the sweeper off
- Durable polyethylene construction and roto-moulded cover resists corrosion
- Space for two batteries – extended operation time
- Flap lifting device for sweeping large debris on FLOORTEC 560
- Protected side broom
- Adjustable side brooms to compensate for wear
- No tools required to change side brooms – adjustments can be made anywhere and anytime

Choose the perfect sweeper for your needs

The Nilfisk-ALTO FLOORTEC 550/560 series offers a choice of four models:

Two battery models and two petrol models, available with either 500 mm or 600 mm broom length. We also provide a wide range of options so you can custom-build your sweeper to match your specific cleaning needs.



B for Battery, P for Petrol

		FLOORTEC 550 B	FLOORTEC 550 P	FLOORTEC 560 B	FLOORTEC 560 P
Working width					
with side broom	mm	700	700	820	820
without side broom	mm	500	500	600	600
Theoretical capacity 4km/h	m ² /h	2800	2800	3280	3280
Hopper capacity	litre	40	40	50	50
Dust control	Yes	Yes	Yes	Yes	Yes
Filter area	m ²	2	2	2	2
Filter material		Paper	Paper	Paper	Paper
Filter shaker		Manual	Manual	Manual	Manual
Power source		Battery, 12 V	Petrol, 2.2 kW	Battery, 12 V	Petrol, 2.2 kW
Dimensions (min.) machine body, L x W x H	mm	1030 x 660 x 810	1030 x 660 x 810	1070 x 780 x 840	1070 x 780 x 840
Weight without battery	kg	85	95	90	105
Standard equipment					
Side broom		Yes	Yes	Yes	Yes
Main broom		Yes	Yes	Yes	Yes
Hour meter		Yes	No	Yes	No
On board charger		Yes/No	NA	Yes/No	NA

Options

- Selection of different batteries – wet or dry
- Normal or on-board charger – charge it anywhere any time
- Different main and side brooms, steel, natural fibre, nylon – easy adaptation to different tasks
- Paper or polyester filters – polyester filters tolerate wet sweeping
- Pre-filters – for light debris separation
- Non-marking skirts for sensitive floors and carpet sweeping

Nilfisk-ALTO (division of Nilfisk Advance A/S) is the number one professional cleaning equipment company with a turnover of 630 million € and 3800 employees. We are located in all main European countries, US and Asia with our headquarters in Denmark and production facilities in Germany, Denmark, Hungary, Singapore, China, Italy and the US.

We supply quality high pressure washers, vacuum cleaners and floor care equipment to agriculture, automotive and industrial companies, cleaning contractors and private consumers.

Nilfisk-ALTO is a product driven company with focus on innovation and growth. We believe in developing and maintaining long lasting relationships with our customers, suppliers and employees.

No claims can be made on the basis of information or illustrations contained in this catalogue. Subject to alteration of technical data, design and equipment.

Distributed by:

Nilfisk-ALTO
Division of Nilfisk-Advance A/S
www.nilfisk-alto.com

**Nilfisk
ALTO**
Why Compromise